STATE OF SOUTH CAROLINA (Caption of Case) Annual Meter Sampling Test Report S. C. PUBLIC SERVICE COMMISSION BEC 17 2009			BEFORE THE PUBLIC SERVICE COMMISSION OF SOUTH CAROLINA COVER SHEET DOCKET NUMBER: 2006 - 63 - E			
(Please type or print) Submitted by: Lockhart Power Com Address: P.O. Box 10		ompany	_	SC Bar Number: Dep. Telephone: Date		12/18/09
	Lockhart, SC 2936	54	_ Fax: _ Oth _ Ema	er:	Time:	10:45
DOCKETING INFORMATION (Check all that apply) Emergency Relief demanded in petition Request for item to be placed on Commission's Agenda expeditiously Other: INDUSTRY (Check one) NATURE OF ACTION (Check all that apply)						
		Affidavit		Letter		Request
Electric/Gas		Agreement	1	Memorandum		Request for Certification
Electric/Telecommunications		Answer	[Motion		Request for Investigation
<u> </u>		Appellate Review]	Objection		Resale Agreement
Electric/Water/Telecom. Application		Application		Petition		Resale Amendment
Electric/Water/Sewer Brief			Petition for Reconsideration		Reservation Letter	
Gas Certificate		Certificate		Petition for Rulemaking		Response
Railroad Comments		ı	Petition for Rule to Show Cause		Response to Discovery	
Sewer Complaint			Petition to Intervene		Return to Petition	
Telecommunic	cations	Consent Order		Petition to Interve	ene Out of Time	Stipulation
		Discovery		Prefiled Testime	ony	Subpoena
Water Exhibit		Exhibit		Promotion		☐ Tariff
<u> </u>		Expedited Conside	eration	Proposed Order		Other:
Administrative	e Matter	Interconnection Agre	eement	Protest		
Other: Interconnection An		endment	Dublisher's Affi	davit		
_		Late-Filed Exhibit	-	Report		



P.O. BOX 10, 420 RIVER STREET LOCKHART, SOUTH CAROLINA 29364

TELEPHONE (864) 545-2211 FAX (864) 545-2591

www.lockhartpower.com

THE HONORABLE CHARLES TERRENI Chief Clerk and Administrator South Carolina Public Service Commission 101 Executive Center Drive Suite 100 Columbia, South Carolina 29210

DEC 1 7 2009

Docket No. 2006-63-E Order No. 2009-85

Dear Mr. Terreni:

Pursuant to Docket No. 2006-63-E, Order No 2009-85 dated February 17, 2009 please be advised that Lockhart Power is submitting the 2009 Meter Sampling Test Report. The results are based on the Commission approved Meter Sampling Plan.

Sincerely,

James H. Seay, Jr.

Process Improvement Manager Lockhart Power Company

Lockhart, SC 29364

S. C. PUBLIC SERVICE COMMISSION
ECEIVE
DEC 17 2009

Lockhart Power Company

Meter Sampling Plan for Single-Phase Watt-Hour Meters

- 1. The procedure for the sampling plan will be Variability Unknown-Standard Deviation Method for a Single Specification Limit. An Inspection Level I, reduced inspection, with AQL=1% is to be used. This is based on the ANSI standard Z1.9-2003.
- 2. Samples of self-contained, single-phase watt-hour meters shall be tested on an annual basis. The samples will be drawn from the entire population of the same meter type.
- 3. The sampling rate (K) shall be computed by dividing the total number of meters (N) by the number in the sample (n). Thus K= N/n. The sample (n) shall be drawn from the meter history records by first selecting, from tables of random numbers, a random number between 1 and K, then drawing the meter which occupies this position, and then drawing every Kth meter thereafter.
- 4. The number of meters in each sample shall be selected annually by the company consistent with criteria established in the ANSI standard Z1.9-2003. If the group fails to meet the criteria in ANSI standard Z1.9-2003 then a new sample will be drawn for normal inspection and tested separate from the sample that failed. If this sample fails then the entire group will be recalibrated at a minimum rate of 5% per year until all of the meters in that group have been recalibrated or until succeeding annual samples show that the performance criteria have been met. Meters to be recalibrated shall be selected on the basis of the longest time since last test. Meters so tested and placed into service shall be sampled as a separate group from the remainder of the original group not tested. When the sample results of the remainder of the original group indicate that the group meets the performance criteria, the components of the group may be consolidated for subsequent sampling.
- 5. A report shall be made annually to the South Carolina Public Service Commission and Office of Regulatory Staff showing results and any action taken.

Lockhart Power Company

Statistical sampling and analysis were performed per the American National Standard ANSI/ASQ Z1.9-2003 Results from 2009 Statistical Sampling Program for Self-Contained Meters

10/26/2009 Single Phase Elester Meters 6,151	2009 Results 25 100.324 0.2742 3.97% 0.00%
Report Date: Description Population	Results # Meters Tested: Bar-X (Mean): Standard Deviation: Max. Allowable % nonconforming (M) Est. % nonconforming (Pu)

The lot meets acceptablity criterion since Pu is less than M:Upper limit 0%<3.97% The lot meets acceptablity criterion since PI is less than M: Lower limit 0%<3.97%